


NOTES:

1. The areas of contamination shown on this map represent generalized two-dimensional approximations based on water quality analysis from RI monitoring wells, facility wells, and production wells where the top of screened interval is greater than 50 feet below the top of the water table.
2. Due to the possible vertical zonation of contamination, a well within an identified area of contamination may produce water with contamination different than that indicated on this map.
3. Areas of contamination are based on the most recent record available for wells sampled between January 2005 and January 2010.
4. Areas outside the colored areas of contamination represented on this map may also be contaminated. However, the most recent data available from wells located outside the colored areas of contamination are below the detection limit.
5. The original figure is produced in color. Significant information is lost if copied in black and white.



LEGEND

- △ Wells Sampled For TCE
- - - Municipal Boundary
- Boundary of Initial Investigation for the San Fernando Valley Superfund Site
- TCE Contamination**
 - > Detection Limit - 5 µg/L (MCL)
 - 5 - 50 µg/L
 - 50 - 100 µg/L
 - 100 - 500 µg/L
 - 500 - 1,000 µg/L
 - 1,000 - 5,000 µg/L
 - Above 5,000 µg/L




FIGURE 5
TCE Contamination (µg/L)
in the Deeper Zone
(Most Recent Concentration
Through January 2010)

Contaminants of Concern in
Eastern San Fernando Valley

